

Prince of Wales Hospital Department of Chemical Pathology

Addition / Invalidation of Laboratory Test

Please fax the completed form to 3505 4723.

Please note that:

- Laboratory staff will confirm if specimen is still available and suitable for further analysis before adding any further test(s).
- Result invalidation due to wrong patient labelling, blood collection from incorrect patient(s) or drip arm will be forwarded to NTEC Risk Management Committee via AIRS for audit purpose.
- Request will be REJECTED for incomplete form or illegible handwriting.
- For enquiry, call 3505 2363.

Please use BLOCK LETTERs or affix PATIENT LABEL (Please fill in ink. Any correction made should be crossed and signed.)

Patient information:

Patient's Name:														
HKID:														
HOSP/OPD No.:														
Ward/Bed:				01	OPD:									
Requesting doctor:														
Doctor's Name:														
Doctor's 331 Code:					se of st OT allo			octor	's n	ame	and (331	code	e is
Signature:	Department / Hospital:													
Contact Tel:														
Date:														
Action(s) required for the following specimen:														
Laboratory No.: (Request No. on Lab report, e.g. 20C9123456 or 20X1234567)							ecimen /HSP2(e.g.
Add test(s)	Test(s):					•								
	Reasons:													
Invalidate test(s)	Test(s):													
	Reasons: □ Wrong test request / □ Wrong timing for specimen collection □ Wrong patient labelling / □ Blood collection from incorrect patient													
	□ Blood collection from drip arm													
□ Others (please specify):														
To be filled in by Staff in Chemical Pathology:														
Handled by:	User's 331 Code:													
□ Accepted														

□ Rejected due to □ Incomplete form / □ QI for add test / □ Aged specimen / □ Wrong specimen type □ Other reasons: _____

Add the following comment to the laboratory report:

Add the followi	ng comment to the faboratory report.	
"Dr	requested to add	(tests) to this sample / invalidate the tests(s) for
this report at	(time) on	(DD/MM/YYYY)".

٦